



TENTERFIELD SHIRE COUNCIL TREE MANAGEMENT PLAN





CONTENTS

1. INTRODUCTION

- 1.1 Background4**
- 1.2 Purpose4**
- 1.3 Scope4**
- 1.4 Tree Management Framework5**

2. STRATEGIC DIRECTION & OBJECTIVE

- 2.1 Strategic Direction6**
- 2.2 Strategy Goal6**
- 2.3 Existing Controls, Policies, Operations & Management Plans.....6**
 - 2.3.1 GOALS: COMMS 17**
 - 2.3.2 GOALS: COMM 37**
 - 2.3.3 GOALS: ENVO 97**
- 2.4 Strategic Objectives7**
- 2.5 Tree Management Plan Initiatives8**

3. TREE DATABASE

- 3.1 Tree Database9**
- 3.2 Tree Mapping9**

4. PLANTING OF TREES

- 4.1 Tree planting12**

5. SELECTION OF TREES

- 5.1 Tree selection criteria.....13**
 - 5.1.1 Planting Species Selection for Roads, Streets14**
 - 5.1.2 Tree Planting & Species for Public Open Space14**
- 5.2 Trees under powerlines.....15**

6. REPLACEMENT OF TREES

- 6.1 Tree replacement criteria15**
 - 6.1.1 Specific species for streets with power lines15**

7. NON-REPLACEMENTS

- 7.1 Non-Replacement of a tree after removal.....15**

8. TREE INSPECTIONS AND RISK ASSESSMENT REQUIREMENTS

- 8.1 Tree Inspectioun by Authorised Persons14**
- 8.2 Tree Roots Damaged to Infrastructure16**
- 8.3 Branches & Trunk Issues.....17**
- 8.4 Tree Inspections Schedules17**
- 8.5 Tree Assessment17**



9. TREE REMOVAL

9.1 Basis for Removal.....18
9.2 Removal Criteria.....19
9.3 Removal of Heritage Trees19
 9.3.1 Propagation Future Plantings.....20
 9.3.2 Heritage Tree Location Map.....20
9.4 Non-Removals20
9.5 Documentation of Tree Removals21

10. PRUNING TREES

10.1 Introduction21
10.2 General Requirements21
10.3 Pruning22
10.4 Pruning around Power Lines22

11. TREE MAINTENANCE PLAN

11.1 Introduction22
11.2 Tree Maintenance on Existing Trees22

12. TREE MAINTENANCE RESOURCES COSTS & BUDGETS

12.1 Introduction24
**12.2 Tree Maintenance Costs Existing Trees
 & New Planted Trees24**
12.3 Overview24

13 CONCLUSION25

APPENDIX

Appendix A – Street Zones Maps26
Appendix B – Main Database Fields29
Appendix C – Planting Trees Information31
Appendix D – Street Trees Future Plantings List32
Appendix E – Species For Under Powerlines41
Appendix F - Pruning Methods & Standards45
Appendix G –Tree Protection Zone48
Appendix H – Pruning Roots Standards49
Appendix I – Heritage Tree maps49

Version Control

Version	Date	Modified by	Details
V1	10/08/19	Craig Milton	Draft
V2	16/02/20	Craig Milton	Insert as requested by Council
V3	15/03/20	Craig Milton	Final adjustments

1. INTRODUCTION

1.1. Background

Tenterfield Shire Council is located in the New England region of New South Wales, Australia. The Shire covers an area of more than 7,300 Km² and contains an extensive range of fauna and flora that enhances the region. The Shire has a broad range of deciduous trees enjoyed by travelers and the local community, for their vibrant autumn colours.

Tenterfield has mature trees that create a passageway throughout streets and parks that form habitat for birds and other wildlife. The community values and appreciates the town's trees for their shade, appearance and ability to attract tourists.

1.2. Purpose

The purpose of the Tree Management Plan is to provide a strategy for the service and maintenance of existing trees, especially trees that have, or are about to, reach their safe useful life and all new future planting of trees.

As trees grow and develop over time, many changes occur in their biology. As they approach their maximum age, they become more vulnerable to disease, wind and other causes of death.

The Tree Management Plan is to provide direction for the regular care and maintenance of all existing trees, undertaking regular tree assessments and inspection, and set out a plan for future tree plantings and budgets for replacements.

1.3. Scope

The Tree Management Plan addresses the following:

- Establish and assess the health and condition of all existing trees;
- Provide planning and develop timeframes for the long term removal and replacement of either the street or park's trees;
- Develop a consistent, proactive management approach for the existing tree population;
- To outline community awareness and acceptance of tree management issues including tree removal, replacement and maintenance management of trees. Provide a framework for decision making by standardising processes;
- Establish future strategic direction for tree planting, protection and maintenance
- Guidelines for tree removals, protection and replacements

Trees managed under this Tree Management Plan are for the Tenterfield township and villages as follows;

- Street Trees
- Trees in Parks and Gardens; and
- Trees in Council managed facilities.


Trees planted within roadside reserves are identified as 'street trees' and generally expected to number one street tree per property frontage. All trees in parks and within the 50 Km zone are managed by the Parks, Gardens & Open Spaces Services within Council with the exception of some isolated 80 Km zone areas as shown at Appendix A.

Please refer to Appendix A – Street Zones

The approval and review of the Tree Management Plan will be managed through the Parks, Garden & Open Spaces Advisory Committee.

1.4. Tree Management Framework

TREE MANAGEMENT PLANNING FRAMEWORK



Legislation and Australian Standards

- NSW Local Government Act 1993

- The Pruning of Amenity Trees AS 4373-2007
- Protection of Trees on Developed Sites AS 4970-2009
- Tree Safety Management Plan Aus-grid 2015
- Electrical Supply Act of 1995
- Urban Green Cover NSW Technical Guide
- Tree Stock for Landscape use AS 2303-2019
- The Protection of Trees on Development Sites AS 4970-2009
- Statewide Mutual Best Practice Manual- Trees and Tree Roots 2011

The statutory requirements are part of the framework along with the Council's policies and practices and Australian Standards.

2. STRATEGIC DIRECTION & OBJECTIVE

2.1. Strategic Direction

The Tree Management Plan is to reflect the Tenterfield Shire Council Community Strategic Plan and the Quality Nature, Quality Heritage and Quality Lifestyle values of the shire.

The Tree Management Plan is based on factors including tree condition, species type and growth rate, aesthetics value and locality values. Over the coming years, the strategic direction, objectives and goals will be standard practices to assist with an ongoing asset management review of the trees, tree data and appropriate resource allocation.

2.2. Strategic Goal

By implementing this strategy, the Council will improve the current tree management practices and allow for the delivery of a healthier, more diverse and stable tree population. The key benefits are:

- Implementing processes will allow improved clarity and efficiency for the Council in fulfilling its tree management responsibilities;
- An improvement in Council's ability to monitor and manage tree related risk;
- Optimisation of tree health and the benefits trees provide to the community;
- The ability to schedule and prioritise tree works;
- Ensuring long term sustainability in delivering adopted levels of service;
- Improved community awareness and involvement in the maintenance of street and park trees; and
- Increased canopy cover across the shire.

2.3. Existing Controls, Policies, Operations & Management Plans

Tenterfield Shire Council has current management, operational and policy plans that should be considered with the implementation of this plan. The following are the existing adopted policies or operational and management plans:

- Plan of Management for Parks & Sportsgrounds (Res No. 473/14) 2014
- Tenterfield Shire Council Operational Plan 2019-2020
- Tenterfield Shire Council Delivery Program 2017-2021

The following are areas that the tree management will be directed

2.3.1 GOALS: COMM 1

- 1.5- Provide informative, Vibrant and welcoming town entrances, centres and streets with places to meet that creatively reflects the diversity of our townships;
- 1.6- Our Public spaces and areas are designed to minimise risk to users.

2.3.2 GOALS: COMM 3

- 3.1- Ensure that public places and spaces are clean and well maintained.

2.3.3 GOALS: ENVO 9

- 9.3- Town and Villages planning supports and enhances local placemaking principles and practice celebrating the diversity of our natural environment.

2.4. Strategic Objectives

The Tree Management Plan forms part of the framework that will lead to the effective and coordinated management of trees in the Tenterfield Shire Council's Local Government area. This document provides a transparent strategy for the management of Council's street trees that rely on the development of the following primary objectives:

- Established Tree Database;
- Manage GPS mapping and information sharing within Council cooperation software;
- Establish a tree species planting list;
- Create a tree planting plan for the street, park and open spaces;
- Tree inspections and risk assessment reports;
- Provide planning for trees removals, replacement at the end of their functional life or failure;
- Tree pruning;
- Establish a tree maintenance program; and
- Identify ongoing maintenance and resources costs.

Other strategic objectives

- Conservation and enhancement of the historic character of the towns;
- Protect and manage heritage trees;
- Planting species selection for roads, streets, reserve and laneways; and
- Tree planting and species for public open space

2.5. Tree Management Plan Initiatives

	SECTION	OBJECTIVES	INITITIVES
I	3	Established Tree Database	<ul style="list-style-type: none"> ▪ Select appropriate Tree Database software; ▪ Identify & collect all current tree species in parks and streets (Information from the data collection will facilitate decision making and funding requirements) ▪ To developed and implement maintenance schedules to ensure the accurate history of works.
II	3.2	Manage GPS mapping and information sharing within Council cooperation software	<ul style="list-style-type: none"> ▪ Intergrade Tree Database software into mapping information; ▪ Tree data and GPS information to be updated as required.
III	4	Tree species planting list	<ul style="list-style-type: none"> ▪ Existing species; ▪ A preferred species list for planting and documentation of preferred species in specific locations or areas created; ▪ Species selected will be informed to the community; ▪ Chosen species will have the following characteristics; <ul style="list-style-type: none"> ○ Foliage colour; ○ Tree form for street trees; ○ Flowers; ○ Give reference to location, i.e. under power lines and other utilities.
IV	5	Create a tree planting plan for the street, park and open spaces	<ul style="list-style-type: none"> ▪ The focus will be on the sound arboriculture practices of planting “the right tree in the right place”; ▪ A planting program will be established in advance to plant in



Tree Management Plan

			<p>areas that require infill planting, or remove (and replant) trees that are at the end of life their useful life, and to satisfy requests;</p> <ul style="list-style-type: none"> ▪ The planting plan will reflect the existing tree plantings.
V	6	Tree inspections and risks assessments reports	<ul style="list-style-type: none"> ▪ Tree Inspections to be recorded into the database; ▪ Tree inspection and risk assessments to be undertaken; ▪ Establish reactive response timeframes; ▪ Establish frequency of proactive inspections Identify priority risk inspection areas; ▪ Identify acceptable mitigation actions.
VI	7	Provide planning for trees removals, replacement at the end of their functional life or failure	<ul style="list-style-type: none"> ▪ Tree removals are undertaken only if it meets the tree management plan; ▪ Safe, useful life expectancy (SULE) to be applied; ▪ Trees programmed for removal if identified as unsafe; ▪ Any tree removed should be replaced with trees consistent with a planting plan scheme; ▪ Trees removed will inform an infill planting program, with the eventual goal of replacing trees removed within two seasons of removal.
VII	8	Tree Pruning	<ul style="list-style-type: none"> • Trees will be pruned as to Australian Standards; • Correct pruning will help reduce disease and insect issues; • Pruning of trees will be conducted so that minimal visual & health impact will be effected; • Trees pruned in line with current Australian Standards.
VIII	9	Tree maintenance program	<ul style="list-style-type: none"> • Process for ongoing maintenance, required to ensure trees kept safe, healthy and structurally sound condition;

			<ul style="list-style-type: none"> • Program developed to ensure Council are more proactive and less reactive; • Actions include: <ul style="list-style-type: none"> ○ Regular pruning; ○ Watering, feeding and mulching (new tree establishment); ○ Pest and disease treatment.
IX	10	Identify ongoing maintenance, material and resources costs	<ul style="list-style-type: none"> ▪ Once a maintenance plan is developed create values for; <ul style="list-style-type: none"> ○ Mulching or tree root zone; ○ Resources for pruning works, and tree inspection reports; ○ Tree Contractors.

3. TREE DATABASE

3.1. Tree Database

The new Database developed will meet the initiatives set out in the 2.4 Strategic Objectives, subject to Council resources and budget, and amalgamated into a single database that is consistently used by all Council officers concerned with any aspect of street and parks tree maintenance and management.

A street tree register is a means to store, retrieve, display, and sort information that relates to the Council's street tree assets. Given a large number of street trees throughout the shire, the annual expenditure on maintenance and planting will be reviewed once the exact amount of street trees are on the register.

The main aim of this register is to give accurate figures for the number of trees, the different species types, condition, age, maintenance requirements, and assist in managing our responsibilities. Also, information that was previously difficult to obtain such as how different tree species performed in the Council area, their maintenance requirements, maintenance work performed, how many times a tree had to be replaced in a particular site or the reason for its removal will now be easily accessible.

Council has developed the Tree Database, using the recommended fields in Appendix B as a minimum guide that:

- Can be used to determine maintenance responses;
- Can identify tree removals;
- Can help identify new tree planting opportunities;
- Can help identify more suitable replacement species, where tree replacement is required.

Refer To Appendix B-Main Database Fields

3.2. Tree Mapping


Tenterfield Shire Council will identify and record all trees locations by GPS and will be mapped on IntraMaps, and available to all Council staff.

The tree mapping will provide the following information

- Existing species in streets;
- Streets where no trees are at present or missing;
- Contribute to planning new plantings plans; and
- Provided updated information to tree health and condition on the mapping software.

IntraMaps will allow access to information of that tree this would include history, maintenance and inspections.

Tenterfield Shire Council will be integrating IntraMaps into Council’s system as shown below




4. PLANTING OF TREES

Traditionally Tenterfield street trees have been introduced species which are predominantly deciduous trees providing vibrant colours and attraction.

Most streets within the Tenterfield Township are deciduous trees and are the preferred tree species used throughout the shire, based on the strategic goals of increasing visitors to the region.

All tree selection and replacement outside these areas must be selected from current endemic species in the area.



4.1. Tree Planting

A key objective to be addressed in tree selection and management is the identification of the new planting locations for trees throughout the townships of the shire and opportunities for new areas.

Where street and parkland trees are aging and have reached safe, useful life expectancy (SULE) over-maturity and are declining, the planting of replacement trees may become a priority. It's recommended that before planting, a plan must be developed.

The development of a planting plan should consider several issues;

- What is the outcome of the planting?
- Who will be involved in this planting?

- What are the limiting factors at this site (overhead wires, confined root zone, soil conditions, climate conditions and the like)?
- At what time of the year should new trees be planted?
- How will these new plantings be established and maintained?
- Do the new trees require trunk support?

Refer to Appendix C - Planting Trees Information.

5. SELECTION OF TREES

5.1. Tree Selection Criteria

When selecting the appropriate tree species for either street, parks, open spaces or Streetscape, the following factors must be considered:

1. Adopted master plans, strategies, planning overlays and development plans
 - I. When parks open spaces and streetscapes have approved a plan or have an overlay of design, all tree species must be in line with the above.
2. The significance of the previous history of tree planting
 - I. Tenterfield has a long history of significant and heritage trees. Any tree selection must meet the same species unless point 5 is an issue.
3. Drought tolerance/ water usage
 - I. Where possible tree selection would reflect water availability and soil structure.
4. Growth habit, size and structural integrity
 - I. Growth habit and size must reflect current species along streets and roadways;
 - II. Trees selected along street need to be of hardwood with branch failures very low; and
 - III. Tree canopy must be of an upright growth, columnar, round, fastigiata, V Shape and Pyramidal.
5. Utilities & services
 - I. Trees that will be affected by utilities or services such as power lines, communications, sewage, water and any other services that may be impeded or damaged by the tree must be considered prior to selection;
 - II. Trees to be selected under power lines must meet the Electrical Supply Act 1995; and
 - III. Please refer to Table 1.1 Tree species for areas of utilities & services.
6. Root growth characteristics and tolerances



- I. Trees selected must have a root growth that will not cause damage to utilities, services and infrastructure; and
- II. Tree Protection Zone

7. Trees foliage and flowers

- I. All trees selected will be as to existing species in type and foliage; and
- II. Trees selection will provide a range of foliage colour and flowers.

8. Planting zone area

- I. Trees must meet the zone planting area criteria

9. Street Plantings

- I. Trees selected and planted should be the same as the existing planting plan as to this Tree Management Plan.

10. Tree purchase:

- Strong single leader;
- Free from pest and disease;
- The tree structure has ideal spacing;
- Bare roots have abundant root growth;
- The tree has no poor pruning; and
- Buds are active, not dry.

5.1.1. Planting Species Selection for Roads, and Streets

- Promote tree-lined roads, including feature tree specimens (native or exotic);
- Contribute to local streetscape quality, stormwater management, foot/bike-path and bus stop shade coverage;
- Concentrate on strategic whole-street planting along the entire street in preference to more costly individual plantings; and
- Enhance heritage character streetscapes.

5.1.2. Tree Planting and Species for Public Open Spaces

1. Maintain and enhance historically significant plantings

- I. All trees planted within Parks and Open Spaces should be the same species or will maintain the current environment and historical aesthetics.

2. Promote shade and amenity at picnic nodes, spectator areas, playgrounds, car parks and along pedestrian and cycle routes

- II. Trees selected for any of the areas above shall;
 - a. Shade all year round (Park tables and playground were high UV may continue); and
 - b. Root zone (Car Parks small root zones to reduce damage to infrastructure).

5.2. Trees under Power Lines

Tree species selected that are around power lines and comply with the Electrical Supply Act 1995

[Refer to Appendix D - Street Species and Future Street Planting List](#)

6. REPLACEMENT OF TREES

6.1. Tree Replacement Criteria

Tree planting and selection will be in keeping with the unique qualities of the towns natural environment such as the locally unique flora and fauna, indigenous culture and post-European settlement heritage as well as the contemporary urban values.

Tree species selected for planting are based on the following:

- The site suitability, aesthetics, functionality, biological attributes; performance and potential to contribute to the heritage value;
- That all tree replacements reflects the species selection criteria;
- Increase in species diversity throughout Tenterfield Shire Council area; and
- Selected species that to be available for over 20 year period (This is where species are changed to create different varieties, this can cause street plantings to change from the original species).

6.1.1. Specific Species for Streets with Power Lines

The following species that would be suitable as a replacement tree should have the following characteristics

- The canopy should not reach a height higher than 6 m;
- The tree will provide an avenue of foliage colour or flowers; and
- The canopy type will be an upright or round growth habit, which should allow minor pruning, works so as not to imbalance and cause the overall look of the tree to be lost.

[Refer to Appendix D – Species for Under Power Lines](#)

7. NON-REPLACEMENTS

7.1. Non-Replacement of Tree after Removal

Tree replacement will not occur if the following instances are met

- The location of the tree is not suitable, and no alternative site is available;
- There is a high rate that any tree species will cause damage to infrastructure, and there is no type of barriers or changes to the surrounds that will reduce the infrastructure from being damaged;
- Future street or infrastructure work is to occur within two years; and
- Due to water availability or long term drought replanting tree would cause tree degradation and long term issues such as pest and diseases.

8. TREE INSPECTIONS AND RISK ASSESSMENT REQUIREMENTS

Trees will be inspected and assessed to determine their potential risk to the public and infrastructure. Trees in "High Risk or High Use" areas and "Significant Trees" may require more frequent detailed inspections. Inspections and risk assessments require standardised and documented procedures. Appropriately qualified and experienced people will undertake inspections. This may involve Council use of external expertise or include education of Council personnel in appropriate Hazard Tree Assessment procedures.

8.1. Tree Inspection by an Authorised Persons

Tree Inspections will be carried out in line with the following

- Yearly visual inspection;
- Customer request; and
- Tree or branch failure.

When a tree is required to be inspected, the inspection shall only be undertaken by a declared 'authorised person', as determined by a responsible person when a tree is inspected, it will only be inspected for visible defects;

- Diploma AQF level V Arboriculture

A detailed technical inspection of a tree will only be undertaken if, and only if, a visual inspection reveals the need to do so.

A comprehensive inspection may involve the following:

- Upper Canopy inspection by a certified Arborist;
- Picus Sonar test;
- GPR Root radar inspection;
- Increment tree borers;
- Soil test; and
- Foliage analysis.

8.2. Tree Roots Damage to Infrastructure

If any issue below arise an inspection must be carried out

- If the tree roots could damage any private dwelling or public building
- If Utility service such as but not limited to water, sewer, gas, telecommunication or electricity services could be damaged
- Tree roots may damage public roads; - bridge, culvert or crossing; - also any stormwater drainage floodway system, - pipe, gutter or kerb
- Footpaths, - pathway, - walking trail or track; - car park; - cycleway; - fire trail or emergency access track or road; and
- If paved or unpaved pedestrian surface; -any public place; -any public reserve; -park or nature reserve; -any public open space area, - any playing field or oval.
- Will pruning of roots away from any of the above areas be greater than 40%?
- Will pruning of roots reduce or stop damage to infrastructure?
- Can a suitable barrier be built or installed without damaging root structure detrimentally? and
- Will pruning of root imbalance the tree causing the tree to incline and fall?

If any of the above is a probability between medium to high, tree removal can be considered along with a comprehensive report.

8.3. Branches & Trunk Issues

A Risk Management approach subject to available resources will be taken in regards to branches and trunk issues. This process incorporates the identification of likely problems, and the development and implementation of a risk management strategy. Focused attention will apply on trees in areas of greatest potential risk e.g. shopping, school precincts, public spaces and parks.

8.4. Tree Inspection Schedules

Tree inspections and assessments will be carried as to the below table, by keeping to a determined time for inspections this will help to be proactive and reducing risks. Once all trees have had a completed comprehensive tree assessment, the following will be followed.

Tree Inspection Schedules

	Tree Specific	Inspection Frequency	Inspection Type
1	High-Risk Areas	Every 6 Months	Basis Tree Assessment

1		Every two years	Comprehensive or QTRA
2	Heritage Significant or	Every 6 Months	Basis Tree Assessment
2		Every four years	Comprehensive or QTRA
3	Street trees	Every 12 months	Detailed Tree Assessment
3		Every five years	Comprehensive or QTRA
4	Park Trees	Every 12 months	Basis Tree Assessment
4		Every five years	Detailed Tree Assessment

8.5. Tree Assessment

- I. The tree has been assessed by a qualified Arborists;
- II. The tree has less than 20% of leaves or live tissue within the canopy;
- III. The tree has a substantial fungal disease that cannot be treated:
 - Fungal disease such as and more
 - Lingzhi
 - Phellinus noxius - Brown root rot
 - Fusarium solani – Pink disease
 - Phytophthora
- I. Is structurally defective and is a high risk of failure or collapse;
 - The tree is deemed high risk to property or public due to tree trunk, and overall structure is at the failure stage
- II. Is causing damage to infrastructure and that there are no action or maintenance works that can be undertaken to repair the infrastructure;
 - The tree is causing damage that is greater than the asset cost.
- III. The tree will be affected by new infrastructure work;
- IV. The tree affects development, and there is no alternative and reasonable design alterations that will help protect the tree;
- V. The tree is contacting power lines, and selective pruning will cause significant issues to the tree in the future;
- VI. The tree is removed as part of a schedule and future tree management plan;

9. TREE REMOVAL

9.1. Basis for Removal

Street trees are generally less long-lived than trees in their natural habitats because of the harsh environment in streets.

The removal of trees that have reached the end of their safe, useful life expectancy (SULE) is part of the tree management process and requires consideration of community reaction.

The following should be considered as a basis for tree removal if a tree has reached its intended safe, useful life expectancy (SULE).

- All trees have a useful life expectancy and this cannot be a set length of time for a tree but will be as to overall condition, environment and surrounds (Environment and surrounds would include interaction with infrastructure, soil condition, high use causing compaction of soil, water availability).

9.2. Removal Criteria

The removal of a tree shall be approved if one or more of the following criteria are satisfied

All trees classified as a heritage tree or a significant tree must have the following for approval.

- Must have a comprehensive inspection, the inspection may also include a QTRA (Quantified Tree Risk Assessment). This inspection will be used the trees asset cost is to be determined for risk cost;
- An application along with a tree inspection report is submitted within the Tenterfield Shire Council for approval, under the provisions of Clause 5.10 of *Tenterfield Local Environmental Plan 2013*.

9.3. Removal of Heritage Trees

Tenterfield has trees classified under the *Tenterfield Local Environmental Plan 2013* as being of heritage significance. These trees are highly valued and significant for the town and history of the region.

As they reach a safe, useful life expectancy, the trees have a reduced capacity for defence and so are prone to attack by pests and diseases. Their management often requires greater care than for young, healthy, vigorous trees. With heritage trees and if they are considered a risk to public or infrastructure before removal all reasonable, action available will be taken to help maintain the tree before removal is considered.

These may include resources by providing tools or new methods of tree preservation. If pruning the trees is required to reduce, risk should be considered, but only where it

would not cause the tree to become unbalanced or cause significant further stress to the tree.

The current Heritage trees

- Quercus palustris- Pin Oak
- Quercus suber- Cork Tree
- Quercus rubra- Red Oak

9.3.1. Propagation for future plantings

Quercus palustris and Quercus rubra are readily available in pots or bare roots and there is no advantage to undertake propagation locally.

The exception is the Quercus suber- Cork Tree, this tree is highly significant, and propagation of local species to be considered using seed.

9.3.2. Heritage tree location map

The diagram at [Refer to Appendix I – Heritage Tree Map](#) showing the location of all heritage trees in the Tenterfield Shire Council.

9.4. Non-Removals

Trees will not be considered for removal due to the following:

I. Complaints of leaves falling into residence guttering

(Some residents may feel that the leaves falling into their gutters is the responsibility of Council and that the removal of the tree is necessary. It is the responsibility for the residence to remove leaves from their own property.)

Residents may request removal of branches that are deemed a hazard but must liaise with Council in the first instance.

II. Increase of bird activity and droppings

- If birds are considered by Council to be an issue, appropriate actions may be taken to help remove or lower bird or bats habitation of the tree. These may include
 - Placing eye balloons in trees that may resemble a predator
 - Bird spikes
 - Predator sounds
 - Smoke

Any such actions must be in accordance with current legislation requirements.

III. Restricting sunlight to a residential solar panel

- Any tree that restricts sunlight to the solar panel may have an inspection undertaken to see if the condition of the overall tree is poor;
 - If the tree condition is weak, the tree may be removed for solar panels.
- IV. Loss of views to household or business
- No tree will be removed to improve views either for houses or business;
 - Trees may be removed if they meet the Section 6.1 Basis for removal.
- V. The tree causes allergy and other health problems
- No tree will be removed due to allergies

9.5. Documentation of Tree Removals

As part of the management plan, all tree removals will be documented and placed in the tree database for future reference. This will inform future requests for information and planned activities.

The tree removal document must contain the following:

- Tree significant Number;
- Inspection assessment record number; and
- Date of removal of the tree.

10. PRUNING TREES

10.1. Introduction

Pruning of trees can be an effective way of reducing potential hazards and risks that may result in injury to public or property. Tree pruning should result in a healthy, structurally and aesthetically pleasing tree. This can be achieved by undertaking regular pruning.

In addition, pruning can guide the form of the tree and correct imbalances and weak structures prior to maturity.

10.2. General Requirements

All pruning works must be carried out:

- By an arborist or someone with similar knowledge;
- According to the Australian Standard AS4373-2007 Pruning of amenity trees; and
- According to the Electrical Supply Act 1995.

The extent of pruning of an individual tree must take into account the age, condition, shape and form of the tree. Pruning needs to produce a well-balanced, safe tree while maintaining its overall amenity and significance to the street.

Given the age of these trees, any attempt to prune to typical requirements may be detrimental, leading to substantial canopy loss and large, intrusive wounds. Council acknowledges that there may be some sporadic limb loss and Council will attempt to mitigate these risks where possible.

10.3. Pruning

Council staff will undertake a coordinated, cyclic pruning program based on a 'palliative' approach to tree maintenance. The Tree Management Plan identifies an aim to prune every street tree over a four-year period. The necessity to undertake further pruning of particular trees outside this cycle will be determined on a needs basis, with specific attention to safety.

Pruning too near the onset of cold weather or post freezing temperatures can trigger dieback and encourage disease. The best time for pruning is dependent on the species, but most pruning is during the heat of summer.

Most deciduous trees should be pruned when active buds appear and after frost through to late spring or mid-summer.

10.4. Pruning around Power Lines

Pruning works carried out around power lines must comply with the Electrical Supply Act 1995.

If there are existing trees that will grow or is within power lines distance as to the Electrical Supply Act 1995, the following pruning method should be carried out if possible.

Medium-sized trees (7.0m – 15.0m) to be trained around overhead power lines to achieve aesthetically acceptable results. This strategy requires correct species selection and formative pruning when the tree is young. The aesthetic result of directional pruning is most successful when the safety clearances between the lines and the tree are minimal.

Refer to Appendix E - Pruning methods & standards

11 TREE MAINTENANCE PLAN

11.1 Introduction



Audits of street and park trees will be undertaken on an ongoing basis to ensure that high-quality delivery standards are maintained at all times. It is envisaged that high-risk sites such as arterial roads, sites adjacent to significant playgrounds and car parks will receive specific attention proportional to the level of risk that may exist in that location.

11.2. Tree Maintenance on Existing Trees

All trees need to be serviced and maintained as they are a living thing which has a circulatory system which feeds the tree branches and leaves and vice versa. Due to this, trees need regular checkups and any issues fixed, and these include:

- Treatment of termites, borers, and pests;
- Control of diseases; and
- Removal of dead or infected parts of the tree.

Along with the checkup or tree inspections, other maintenance activities can be applied to help strengthen the trees as listed below.

Below is a list of maintenance that will be part of a maintenance program

Watering

- Watering of trees should be considered in the maintenance program, mainly with young newly planted trees;
- All new trees planted shall have a root rain pit irrigation installed to help get the water deep around the trees root system.

Mulching

- Mulching trees should be a yearly program in the winter;
- Mulching trees will help protect roots from damage by mowers, ring barking from brush cutting and it helps reduce moisture loss.

Fertilising

- As part of the new planting maintenance plan regular fertilising will help promote a healthy tree;
- Tree fertiliser tablets to be placed into the soil as to instructions.

Pruning

- All pruning work for Deciduous tree will be undertaken during the main growth period which occurs from bud growth to mid-summer.
- Pruning of non-deciduous trees may occur at any time of the year, but best practices are during the growth period

EXAMPLE OF TREE MAINTENANCE SCHEDULE

Months	Sep-Nov	Dec- Feb	Mar-May	June-August
---------------	----------------	-----------------	----------------	--------------------

Pruning deciduous trees				
Watering new trees				
Pruning works				
Mulching trees				
Fertilise trees				

By implementing a maintenance program, the following will be achieved.

- Achieve a proactive approach to the management of risks of the trees
- Achieve implementing Australian standards for better practices with maintaining trees
- Achieve developing appropriate staff skill levels to ensure the works are carried out with the best tree management practices
- Achieve controlling pests and diseases in trees
- Achieve longevity of trees life

12 TREE MAINTENANCE RESOURCES COSTS & BUDGETS

12.1 Introduction

The tree maintenance resources and costs will be created as to the maintenance plan and tree inspection schedules 6.4 Tree Inspection Schedules but at this stage, until inspections of all trees have been carried out and documented along with data collected, the actual costs for undertaking maintenance works cannot be quantified.

The information gathered will be as follows:

- Trees requiring pruning of dead and dangerous branches;
- Removal of potential unsafe trees;
- Replacement of trees that are removed; and
- New plantings.

12.2 Tree Maintenance Costs Existing Trees & New Planted Trees

Tenterfield Shire Council has over the past few years planted new street trees which require regular maintenance.

To quantify the costs for resources and create a budget for these, the following needs to be considered:

- To use a watering truck to water all trees planted up to 5 years old;
- Mulch yearly;
- Apply fertiliser or organic fertiliser;
- Contract works for pruning; and
- Unforeseen issues are requiring urgent works.

12.3 Overview



The collection of tree data and a basic tree assessment will be an ongoing project, this will include existing trees and new plantings.

13 CONCLUSION


This tree management plan will help develop a process and successfully manage all trees throughout Tenterfield Shire Council.

The Plan will help maintain and create future vibrant coloured foliage and flowering trees throughout all the townships for the enjoyment and pleasure of the many visitors and local communities for now and for many years in the future.

Council wishes to acknowledge all the hard work that the Progress Associations and Community members have contributed, in greening the villages through planting and providing trees for their area.




Appendix A- Street Zones




Tenterfield Town



Drake Village




Jennings Village



Urbenville Village



Legume Village



Liston Village

Appendix B – Main Database Fields

Table Field 1	Definition
1. ID number	Each tree will be given a unique ID number and will not be changed during and after the trees life
2. Location	The database will set up areas of location Urban and Rural areas
3. Park/Street	The tree will be located in the following areas. Parks, Streets, Open Spaces, and Sport fields
4. Suburb	Each location will contain suburbs within that area. This helps create an easy search and reporting system
5. Roads	Each Suburb will include roads and streets which will be displayed in a hierarchal system
6. GPS	Each tree will be GPS to be incorporated into the councils mapping system to allow ease for location
7. Tree species	Each tree will have the exact species name
8. Height, Spread & trunk DBH	The trees will have their height, spread and trunk girth measured. This will be part of a 5-year update inspection routine
9. Age	The tree will be given an age that would reflect height and spread. Some trees will not be an accurate age but will be given the following- Young, Semi mature, Mature, Over mature
10. Safe Useful Life Expectancy	Safe, useful life expectancy ratings of a tree are to be assessed independently and recorded as general information

Table 2: Sub Database Fields (Infrastructure)

This sub-database will provide information to any infrastructure or utilities that are present within the trees canopy and root zones

This will contain the following information

Field 1	Definition
1. Power Lines	Yes/No- if present. Underground/ Distance to power lines/ Damage to infrastructure high low/ Existing issues
2. Kerb	Yes/No- if present/ Distance to trunk/ Damage to Kerb high low/ Existing issues
3. Footpaths	Yes/No- if present/ Distance to trunk/ Damage to footpath high low/ Existing issues
4. Roads	Yes/No- if present/ Distance to trunk/ Damage to road high low/ Existing issues
5. Water service	Yes/No- if present/ Distance to trunk/ Damage to water pipes high low/ Existing issues
6. Sewage service	Yes/No- if present/ Distance to trunk/ Damage to sewage pipes high low/ Existing issues
7. Communication services	Yes/No- if present/ Distance to trunk/ Damage to communication cables high low/ Existing issues

8. Private Driveways	Yes/No- if present/ Distance to trunk/ Damage to Driveways high low/ Existing issues
----------------------	--

Table 3: Sub Database Fields (Tree assessment)

The tree assessment will calculate the score of each field providing information to tree maintenance required or removal and replacement

Field 1	Definition
1. Tree condition	<ol style="list-style-type: none"> 1. Good: a tree in good health, and does not require any further action. A healthy, vigorous tree, reasonably free of signs and symptoms of a disease, with good structure and form typical of the species 2. Fair: a tree with something wrong in terms of its health or further action required. Tree with a slight decline in vigour, a small amount of twig dieback, minor structural defects that could easily be rectified. 3. Average; Tree has health or structural issues that will require treatment within a short period before becoming poor. 4. Poor: a tree that is approaching over-maturity to be removed because it is in very poor health or of defective structure. Tree in decline, epicormic growth, extensive dieback of medium to large branches, epicormic and significant structural defects that cannot be mitigated 5. Dead: a tree that has no living vascular tissue
2. Structural Characteristics <ul style="list-style-type: none"> ▪ Canopy density ▪ Canopy Deadwood ▪ Trunk damage ▪ Trunk decay ▪ Trunk cracks ▪ Dead Branches ▪ Epicormic growth 	<p>Each structural characteristics will be graded Good, Fair, Poor,</p> <ol style="list-style-type: none"> 1. Good 2. Fair 3. Average 4. Poor 5. Very Poor <p>There will also be a percentage given</p> <ul style="list-style-type: none"> ▪ 80 -100% ▪ 60 - 80% ▪ 40 - 60% ▪ 20 - 40% <p>Refer to Section 5 Tree structures</p>
3. Pest & disease <ul style="list-style-type: none"> ▪ Borers present ▪ Fungal present ▪ Leaf insects 	<p>Each situation will be graded Good- no signs, Fair- low signs, Poor-severe signs.</p> <ol style="list-style-type: none"> 1. Good 2. Fair 3. Average 4. Poor 5. Very Poor
4. Vigour	<p>Each tree will be graded as follows</p> <ol style="list-style-type: none"> 1. High 2. Fair 3. Average

		<p>4. Poor</p> <p>5. Very Poor</p>
5. Root Zone-Tree Protection Zone		<p>The following will be considered</p> <ul style="list-style-type: none"> ▪ Root zone covered by grass, road, concrete path or driveways ▪ The area covered will be given a percentage <ul style="list-style-type: none"> ▪ 70 - 100% Coverage ▪ 40 - 70% Coverage ▪ 10 - 40% Coverage <p>Damaged Roots</p> <ol style="list-style-type: none"> 1. 0 -10% Damaged/ Good 2. 10 - 30% Damaged/ Fair 3. 30 - 50% Damaged/ Poor 4. 50 - 80% Damaged/ Server <p>Refer to Section 5 Root Zones</p>
6. Pruning results	History	<p>Each will be rated to the condition of previous pruning works</p> <p>Good</p> <p>Fair</p> <p>Average</p> <p>Poor</p> <p>Very Poor</p>
	<ul style="list-style-type: none"> ▪ Crown Cleaned ▪ Reduced ▪ Thinned ▪ Branch cuts 	

Appendix C – Planting Trees Information

Planting Trees


All new trees will be planted according to industry standards. The following are a guide

- Planting hole:
 - i. The hole width is to be dug two times and half the size of the root ball
 - ii. The depth shall be slightly more in-depth than the root ball depth to allow good loose soil and allow the tree to be placed level
 - iii. Add fertiliser tablets under the soil at the base of the tree
- Planting Tree:
 - I. Before placing the tree into hole measure root height and make sure the hole is no deeper than the top root ball height
 - II. If there is a lot of soil that is absent on the top of the root ball adjust depth height
 - III. Place in hole carefully if the tree is large use a sling only and protect with hessian
 - IV. When placing soil into the hole around the tree make sure the soil is friable and loose

- V. Fill halfway and press soil down using hand (do not Compact) then place root rain pit
- VI. Fill the soil to the top of the root ball and press down with hands and water the soil until saturated

Staking Tree

- I. Trees are to be staked as to industry standards



○ STAKING LARGE TREE DETAIL

Appendix D – Street Species & Future Street Planting List

Current Species in street colour text	<i>Fraxinus excelsior</i>
Species to be planted in future colour text	<i>Acer buergerianum</i>
Species to be planted under power lines in future colour text	<i>Prunus cerasifera nigra</i>
No trees to be planted in Street, Lane or Road	

STREET NAME	TOWN	TREE SELECTED CURRENT SPECIES OR	TREE REPLACEMENT SELECTED UNDER POWER LINES SPECIES UNDER
Albert Street	Tenterfield	<i>Acer buergerianum</i>	<i>Prunus cerasifera nigra</i>
Aldershot Road	Tenterfield	<i>Prunus x blireana</i>	<i>Prunus x blireana</i>
Boundary Road	Tenterfield	<i>Fraxinus excelsior</i>	<i>Fraxinus excelsior</i>



Tree Management Plan

Bruxner Highway	Tenterfield	Quercus palustris	Quercus palustris / Prunus cerasifera nigra
Bruxner Way	Tenterfield		
Bryans Gap Road	Tenterfield		
Bulwer Street	Tenterfield	Fraxinus excelsior	Acer palmatum 'Atropurpureum.'
Clifton Street	Tenterfield	Prunus cerasifera nigra	Prunus cerasifera nigra
Clive Street	Tenterfield	Pistacia chinensis	Pyrus fauriei 'Korean Sun.'
Common Road	Tenterfield		
Cowper Street	Tenterfield	Quercus palustris	Quercus palustris/ Prunus x blireana
Lower Cowper Street	Tenterfield	Prunus x blireana	Prunus x blireana
Coxalls Road	Tenterfield		
Crown Street	Tenterfield	Shop side	Magnolia x soulangeana
Dairy Mountain Road	Tenterfield		
Derby Street	Tenterfield	Pistacia chinensis	Pistacia chinensis
Douglas Street	Tenterfield	Pistacia chinensis	Pistacia chinensis
Drummond Street	Tenterfield	Magnolia x soulangeana	Magnolia x soulangeana
Duncan Street	Tenterfield	Pistacia chinensis	Pistacia chinensis
Nth Duncan Street	Tenterfield	Ulmus glabra	Prunus cerasifera nigra
East Street	Tenterfield	Magnolia grandiflora 'Little Gem'	Magnolia grandiflora 'Little Gem'
Erindee Avenue	Tenterfield	Mixture of species	
Francis Street	Tenterfield	Quercus rubra 'Red Oak'	Cornus kousa chinensis
George Street	Tenterfield	Populus simonii	Fraxinus oxycarpa / Pyrus fauriei 'Korean Sun.'
High Street	Tenterfield	Fraxinus oxycarpa / Platanus acerifolia	Fraxinus oxycarpa / Pyrus fauriei 'Korean Sun'
Jubilee Street	Tenterfield	Prunus x blireana	Prunus x blireana
Kiely Street	Tenterfield	Magnolia x soulangeana	Magnolia x soulangeana
Laird Street	Tenterfield	Fraxinus pennsylvanica 'Urbanite TM.'	Magnolia grandiflora 'Little Gem'
Landers Street	Tenterfield	Parkside/ Liquidambar styraciflua	Magnolia grandiflora 'Little Gem'
Link Street	Tenterfield	Prunus cerasifera nigra	Jubilee park
Logan Street	Tenterfield	Quercus palustris	Quercus palustris / Prunus cerasifera nigra
Mackenzie Court	Tenterfield	Brachychiton discolor	Brachychiton discolor
Manners Street	Tenterfield	Pistacia chinensis/ Photinia robusta	Pyrus calleryana
Margaret Street	Tenterfield	Liquidambar styraciflua / Quercus palustris	Liquidambar styraciflua / Prunus x blireana
Martin Street	Tenterfield	Crataegus phaenopyrum / Pyrus calleryana	Pyrus calleryana
Miles Street	Tenterfield	Quercus rubra 'Red Oak'	Magnolia x soulangeana



Tree Management Plan

Molesworth Street	Tenterfield	<i>Pistacia chinensis</i>	<i>Pistacia chinensis</i> / <i>Pyrus fauriei</i> 'Korean Sun.'
Mount Lindesay Road	Tenterfield	<i>Liquidambar styraciflua</i>	<i>Liquidambar styraciflua</i>
Naas Street	Tenterfield	<i>Platanus acerifolia</i> / <i>Ulmus glabra</i> / <i>Liquidambar styraciflua</i> / <i>Populus nigra</i>	<i>Platanus acerifolia</i> / <i>Ulmus glabra</i> / <i>Liquidambar styraciflua</i> / <i>Populus nigra</i>
New England Highway	Tenterfield	<i>Quercus palustris</i>	<i>Quercus palustris</i>
Park Street	Tenterfield	<i>Acer buergerianum</i>	No Overhead power lines
Parkes Drive	Tenterfield	<i>Acer rubrum</i>	No Overhead power lines
Pelham Street	Tenterfield	<i>Pistacia chinensis</i> / <i>Lagerstroemia indica</i> / <i>Ulmus glabra</i> /	<i>Pistacia chinensis</i> / <i>Lagerstroemia indica</i> / <i>Ulmus glabra</i> /
Petre Street	Tenterfield	Pool side- <i>Malus floribunda</i>	<i>Malus floribunda</i>
Polworth Street	Tenterfield	<i>Acer rubrum</i>	<i>Acer rubrum</i>
Railway Street	Tenterfield	<i>Cornus kousa chinensis</i>	<i>Cornus kousa chinensis</i>
Railway Avenue	Tenterfield	<i>Liquidambar styraciflua</i> / <i>Populus nigra</i> / <i>Platanus acerifolia</i>	<i>Fraxinus oxycarpa</i>
Riley Street	Tenterfield	<i>Prunus cerasifera nigra</i>	<i>Prunus cerasifera nigra</i>
Rouse Street	Tenterfield	<i>Robinia pseudoacacia</i> / <i>Pyrus calleryana</i>	<i>Gleditsia triacanthos</i> var. <i>inermis</i> 'Emerald Cascade'
Saddlers Road	Tenterfield		No Overhead power lines
Schroders Road	Tenterfield		
Scott Street	Tenterfield	<i>Cornus kousa chinensis</i>	<i>Cornus kousa chinensis</i>
Simpson Street	Tenterfield	<i>Ulmus glabra</i> 'Golden Elm.'	No Overhead power lines
Sunnyside Loop Road	Tenterfield	<i>Liquidambar styraciflua</i>	No Overhead power lines
Thomas Parade	Tenterfield	<i>Quercus rubra</i> 'Red Oak.'	No Overhead power lines
Willgoose Road	Tenterfield		
Wood Street	Tenterfield	<i>Pistacia chinensis</i>	<i>Pistacia chinensis</i> / <i>Prunus cerasifera nigra</i>
Young Street	Tenterfield	<i>Liquidambar styraciflua</i>	No Overhead power lines
STREET NAME	TOWN	TREE SPECIES SELECTED CURRENT OR	TREE SPECIES REPLACEMENT SELECTED UNDER POWER LINES
Bates Road	Torrington		
Torrington Road	Torrington		
Allison Street	Drake		
Fairfield Street	Drake		
Fairfield Road	Drake		



Tree Management Plan

Acacia Street	Liston		
Mount Lindesay Road	Liston		
Acacia Avenue	Legume		
Acacia Park Road	Legume		
Flagstone Road	Legume		
Mount Lindesay Road	Legume		
Tooloom Street	Legume		
Beauty Street	Urbenville		
Clarence Street	Urbenville		
Stephen Street	Urbenville		
Tooloom Street	Urbenville		
Urban Street	Urbenville		
Apsley Street	Jennings		
Ballandean Street	Jennings		
Carrington Street	Jennings		
Duke Street	Jennings		
High Street	Jennings		
Gladstone Street	Jennings		
Graham Street	Jennings		
New England Hwy	Jennings		
Ross Street	Jennings		





Tree Species List

Botanical Name	Common Name	Sub Species	Height	Evergreen/ Deciduous	Showy Foliage	Flowers	Shape
Acer buergerianum	Trident Maple		6m x 6m	Deciduous	Yes	No	Branches Ascending
Acer palmatum	Japanese Maple		4m x 3m	Deciduous	Yes	No	V Shape
Acer palmatum	Japanese Maple	'Atropurpureum'	4m x 3m	Deciduous	Yes	No	V Shape
Acer rubrum	Japanese Maple	'Fairview Flame'	4m x 4.5m	Deciduous	Yes	No	V Shape
Agathis robusta			15m x 8m	Evergreen	No	No	Fan
Araucaria bidwillii	Bunya pine		15m x 8m	Evergreen	No	No	Symmetrical
Betula pendula	Silver Birch		12m x 6m	Deciduous	Yes	No	Pendulous
Betula pendula	Upright Silver Birch		8-10m x 2-4m	Deciduous	Yes	Yes	Fastigata
Cedrus alantica	Blue Atlas Cedar		30m x 20m	Evergreen	No	No	Pendulous
Cedrus deodra	Deodra		20m x 8m	Evergreen	No	No	Pendulous
Cinnamomum camphora	Camphor Laurel		20m x 10m	Evergreen	No	No	Round
Cupressocyparis cahmeriana	Kashmir Cypress		20m x 15m	Evergreen	No	No	Pendulous
Cupressocyparis leylandii	Leylandii	'Castlewellen Gold'	20m x 10m	Evergreen	Yes	No	Conical
Cupressocyparis leylandii	Leylandii	'Leighton's Green'	20m x 10m	Evergreen	No	No	Conical
Cupressocyparis Macrocarpa	Monteray Cypress		20m x 10m	Evergreen	No	No	Columnar
Cupressocyparis Macrocarpa	Pencil Pine		15m x 1m	Evergreen	No	No	Columnar
Fraxinus excelsior	Golden Ash	'aurea'	7m x 7m	Deciduous	Yes	No	Round



Tree Management Plan

Fraxinus oxycarpa	Claret Ash	'Raywoodii'	12m x 7m	Deciduous	Yes	No	Oval
Fraxinus angustifolia	Desert Ash	'angustifolia'	10m x 12m	Deciduous	Yes	No	Round
Fraxinus pennsylvanica	Cimmaron Ash	'Cimmaron TM'	13m x 8m	Deciduous	Yes	No	Round
Gleditsia triacanthos	Ruby Locust	'Ruby Lace'	10m x 6m	Deciduous	Yes	No	Pendulous
Gleditsia triacanthos	Golden Honey Locust	var. inermis 'Sunburst.'	15m x 7m	Deciduous	Yes	No	Pendulous
Gleditsia triacanthos	Weeper	var. inermis 'Emerald Cascade'	2m x 2m	Deciduous	Yes	No	Round
Ginkgo biloba	Ginkgo			Deciduous	No	No	
Lagerstroemia indica	Crepe Myrtle	'Best red.'	3m x 2.5m	Deciduous	No	Yes	V shape
Lagerstroemia indica	Crepe Myrtle	'Pink Blush'	3m x 2.5m	Deciduous	No	Yes	V shape
Lagerstroemia indica	Crepe Myrtle	'Crimson Red'	3m x 2.5m	Deciduous	No	Yes	V shape
Lagerstroemia indica	Crepe Myrtle	'Pure White'	3m x 2.5m	Deciduous	No	Yes	V shape
Liquidambar styraciflua	Liquid Amber		20m x 6m	Deciduous	Yes	No	Ascending Branches
Liquidambar styraciflua	Liquid Amber Burgundy	'Burgundy'	10-15m x 5-8m	Deciduous	Yes	No	Ascending Branches
Livistona australis	Cabbage Palm		15m x 2m	Evergreen	No	No	Fan
Lophostemon confertus	Brush Box		15m x 10m	Evergreen	No	No	Oval
Malus x atrosanguinea		'Gorgeous'	3m x 3m	Deciduous			Upright Spreading
Malus floribunda	Japanese Crab Apple		5m x 5m	Deciduous	Yes	Yes	Round
Malus floribunda	Crimson Knight	'Criknzam'	8m x 4m	Deciduous	Yes	Yes	Round
Malus floribunda	Royal Raindrops		6m x 5m	Deciduous	Yes	Yes	Upright Spreading
Malus ioensis	Rubra	'Purpurea'	5m x 3m	Deciduous	Yes	Yes	Round
Malus tschonoskii	Upright Crab Apple		7m x 4m	Deciduous	Yes	Yes	Fastigata
Nyssa sylvatica	Tupelo		11m x 6m	Deciduous	No	Yes	Round
Photina robusta	Red Leaf Photinia		8m x 8m	Evergreen	No	Yes	Round



Tree Management Plan

Picea glauca	White Spruce		15m x 5m	Evergreen	No	No	Conical
Picea pungens	Blue Spruce		2m x 2m	Evergreen	Yes	No	Conical
Pistacia chinensis	Chinese Pistachio		8m x 6m	Deciduous	Yes	No	Round
Platanus acerifolia	London Plan tree		15-20 x 10m	Deciduous	No	No	Horizontal Branches
Platanus orientalis	Oriental Plane	'Digitata'	15-20 x 10m	Deciduous	No	No	Horizontal Branches
Populus canadensis	Canadian poplar tree		15m x 10m	Deciduous	No	No	V Shape
Populus deltoides	Poplar		20-30m x 20m	Deciduous	No	No	Pyramidal
Populus nigra	Lombardy Poplar	'Italica'	20-30m x 3m	Deciduous	Yes	No	Columnar
Populus simonii	Chinese Poplar		12m x 3m	Deciduous	Yes	No	Columnar
Prunus cerasifera	Black Cherry Plum	'Nigra	5m x 4m	Deciduous	Yes	Yes	Round
Prunus	Purple Leafed Plum	'Blireana'	5m x 4m	Deciduous	Yes	Yes	Round
Prunus surrulata	Weeping Cherry		1.8m	Deciduous	Yes	Yes	Weeping
Pyrus calleryana	Ornamental Pear		11m x 2m	Deciduous	Yes	Yes	Fastigata
Pyrus calleryana	Bradford pear		18m x 9m	Deciduous	Yes	Yes	Pyramidal
Pyrus calleryana	Frontier	'Fronzam'	10m x 4m	Deciduous	No	Yes	Upright branching
Pyrus ussuriensis	Manchurian Pear		9m x 7m	Deciduous	No	Yes	Pyramidal
Quercus palustris	Pin Oak		15m x 8m	Deciduous	Yes	No	Horizontal Branches
Quercus robur	English Oak		11m x 11m	Deciduous	Yes	No	Ascending Branches
Quercus robur		'Fastigata'	13m x 4m	Deciduous	Yes	No	Fastigata
Quercus robur	Red Oak		20m x 9m	Deciduous	Yes	No	Round
Robinia pseudoacacia	Golden Robinia	'Frisia'	9-12m x 6m	Deciduous	No	No	Round
Robinia pseudoacacia	Mop Top Robinia	'Inermis'	2mx 3m	Deciduous	No	No	Oval
Sapium sebiferum	Chinese Tallowood		8m x 8m	Deciduous	Yes	No	Round



Tree Management Plan

Taxodium distichum	Cypress		20m x 6m	Deciduous	No	No	Horizontal Branches
Ulmus glabra	Golden Elm	'Lutescens'	10m x 12m	Deciduous	Yes	No	Round
Ulmus parvifolia	Chinese Elm		13m x 10m	Deciduous	Yes	No	Branches ascending

Appendix E – Species for Under Power Lines

Species acceptable under power lines and underground services			
Species	Height	Species	Height
Acer buergerianum	6m x 6m	Malus floribunda	6m x 5m
Acer japonica	6m x 6m	Malus ioensis	5m x 3m
Acer palmatum	4m x 4m	Malus tschonoskii	7m x 4m
Acer rubrum	4m x 4.5m	Pistacia chinensis	8m x 6m
Cornus kousa chinensis	4-6m x 4m	Prunus cerasifera	5m x 4m
Gordonia axillaris	5m x 3m	Pyrus fauriei 'Korean Sun.'	5m x 4m
Hymenosporum flavum	6-8m x 5-6m	Prunus x blireana	5m x 3m
Lagerstroemia indica	3m x 2.5m	Prunus sarrulata	1.8m
Magnolia figo	3m x 2m	Robinia pseudoacacia	2m x 3m
Magnolia grandiflora 'Little Gem'	6m x 3m		
Magnolia x soulangeana	7m x 6m		
Malus x atrosanguinea	3m x 3m		
Malus floribunda	5m x 5m		

Species selected

Magnolia x soulangeana



The Magnolia x soulangeana is an excellent species for street plantings allowing corrective pruning without causing an imbalanced canopy.

Deciduous Magnolias are known for their spectacular display of flowers during late winter through to early spring. Needs a sunny but protected spot

Height: 5m

Width: 4m

Growth Rate: Moderate

Foliage: Large soft green leaves appear after flowers have finished.

Flower: Large, rose pink and white on the outside of the petals and white on the inside

Species selected

Acer palmatum 'Atropurpureum.'



Acer palmatum 'Atropurpureum' a beautiful maple with typical five-lobed maples leaves.

Height: 6 m **Width:** 5m
Great specimen for use under power lines

Species selected

Cornus kousa chinensis



Cornus kousa chinensis is a deciduous tree late spring to summer; Dogwood 'Chinensis' covered in gorgeous, white bracts, with small yellow-green flowers at the centre. The bracts fade to pink as they age.

Height: 6m **Width:** 4-8m
An open or vase-shaped tree with an elegant, spreading habit, Excellent under power lines.

Species selected

Malus floribunda



Malus floribunda an attractive ornamental tree that puts on an outstanding floral display in spring. White and reddish-pink flowers are in abundance over this time making it a distinctive focal point flowering in spring

Height: 5-6 m

Width: 4 m

Species selected

Prunus cerasifera nigra



Has coloured foliage through spring to autumn then at the end of winter has a showy display of light pink flowers.

Height: 5-6 m

Width: 5 m

Species selected

Magnolia grandiflora 'Little Gem.'



This tree is a small evergreen tree that flowers spectacular and highly fragrant producing beautiful creamy white, saucer-shaped flowers in spring and summer. Leaves are a classic glossy deep green colour with furry brown undersides forming a beautiful compact evergreen tree with a dense covering of foliage.

Height: 5-6 m

Width: 3 m

Species selected

Pyrus fauriei 'Korean Sun.'



This is a compact ornamental pear tree with a dense growth habit. It has glossy green foliage that changes to bright tones of red and orange in autumn. Flowering seems to occur quite early in spring.

Height: 5 m

Width: 4-5 m

Species selected

Prunus x blireana



This deciduous tree is relatively small, growing to around 5m tall. It has slender, arching branches, double mauve-pink flowers, and reddish-purple leaves, which turn purplish-green in summer.

Height: 5 m

Width: 4-5 m

Appendix – F Pruning Methods & Standards

Pruning Trees

Health, appearance, and safety are the main reasons why street and parkland trees are pruned. There are many different pruning needs; this depends on the location, size, and growth habits of the trees.

There are three basic types of pruning methods used to address most situations:

These types include:

- **Crown Cleaning:** consists of the removal of dead, diseased, obstructing, split, and/or broken branches that are 50 mm. In diameter or greater. Limbs that are susceptible to failure from dense foliage will be thinned.
- **Crown Raising:** includes the removal of lower tree branches to allow safe movement of vehicles and pedestrian under the canopy of the tree. Limbs above the adjacent paved area shall be no smaller than 2.4 m. Limbs above the road shall be no lower than 5.5 m.
- **Crown Reduction:** includes reducing the overall mass by thinning out the top and sides or just removing individual limbs of the tree. Reduction

pruning is commonly associated with the pruning away from buildings, structures, or overhead utility wires.

Pruning methods around power lines

Pruning may be necessary to gradually lift the crown above the height of pedestrians and traffic or to train branches around overhead wires. To promote sound branch structure, pruning or training of young trees must be incremental.

The following diagrams and information is a guide to pruning work around power lines.

Diagram 1





Diagram 2

Trimming around distribution lines - "V" Trim



This method is suitable for low growing species. The principal method here is to start doing remedial pruning and to increase thicker canopy in the centre by pruning before reaching the power lines. If pruning is done at a later stage, it is imperative that pruning is cut lower than final centre height to allow the thicker canopy

Diagram 3



Pruning along pathways

All pathways must be clear to reduce injury to pedestrians by branches


Diagram 1



Appendix G – Tree Protection Zone


- Calculating the circumference of a tree stem

TREES WITH ONE STEM



- Calculate the DBH (Diameter at Breast Height)
- Measure 1400mm height then divide by 3.14
- Then calculate the Tree Protection Zone
- Multiply the DBH by 12, e.g. .230mm x 12m
- Measure the Tree Protection Zone area on the ground
- Place a measuring tape at tree trunk base and circle the tree

Side View



Appendix H – Pruning Roots Standards

Root pruning is generally to be discouraged, as the long-term results cannot be fully known.

Where root pruning is required, the following general guidelines will apply

- I. Roots with a diameter less than 60 mm shall be cleanly cut with a sharp saw at the discretion of the on-site staff or contractor
- II. Roots of a diameter greater than 60 mm shall not be reduced unless authorised by the Council Arborist or an authorised representative
- III. All root pruning is to be carried out using a sharp saw or specialised root-pruning equipment. Under no circumstances shall roots be ripped or pulled by machines.

Where roots have been inadvertently damaged during excavation works, the damaged roots must be cut clean as outlined above. Where these roots are more than 60mm in diameter, the Council Arborist must inspect the tree and damaged roots before work continues.

Appendix I – Heritage Listed Trees

Tamai if you are able to word something up here that would be good it may not hurt to say if your property is listed before any trees are removed to contact you.

